

# PRE-TRIP INSPECTION

Truck: \_\_\_\_\_

Date: \_\_\_\_\_

**RR: Requires Repair**

## **Chock Wheels**

\_\_\_\_\_ Look at the vehicle's general condition. Look for damage or vehicle leaning to one side. Look under the vehicle for fresh oil, coolant, grease, or fuel leaks.

## **Emergency Equipment:**

\_\_\_\_\_ Fire extinguisher(s). Securely mounted, readily accessible and fully charged.

\_\_\_\_\_ Spare electrical fuses (unless equipped with circuit breakers).

\_\_\_\_\_ Warning devices for parked vehicles (three reflective warning triangles).

**Start engine and inspect inside the cab. Be sure the parking brake is on.**

## **Cab Interior:**

\_\_\_\_\_ No loose items.

## **Look at the gauges:**

\_\_\_\_\_ Oil pressure should come up to normal in a few seconds after starting the engine.

\_\_\_\_\_ Ammeter and/or voltmeter should be in normal range.

\_\_\_\_\_ Engine temperature should rise gradually.

## **Check condition of controls:**

\_\_\_\_\_ Steering wheel. No more than 10 degrees (approx. 2 in.) play.

\_\_\_\_\_ Accelerator.

\_\_\_\_\_ Brake controls: Foot, parking and engine retarders.

\_\_\_\_\_ Horn.

\_\_\_\_\_ Windshield wiper/washer.

\_\_\_\_\_ Lights: Headlights, dimmer, turn signal, 4 way flashers.

## **Check mirrors and windshield:**

\_\_\_\_\_ Clean.

\_\_\_\_\_ No cracks.

\_\_\_\_\_ Properly adjusted mirrors.

**Put parking brake on. Shut off engine, remove key. Check and clean lights.**

**Lights:**

- \_\_\_\_\_Headlights.
- \_\_\_\_\_High beams.
- \_\_\_\_\_Parking lights.
- \_\_\_\_\_Left turn signal.
- \_\_\_\_\_Right turn signal.
- \_\_\_\_\_4-way flashers.
- \_\_\_\_\_Side marker lights and clearance lights.
- \_\_\_\_\_Reflectors.
- \_\_\_\_\_Parking lights.
- \_\_\_\_\_Brake lights.
- \_\_\_\_\_License plate & light.

**Walk Around And Inspect:**

**Left Front Side:**

- \_\_\_\_\_Drivers window and windshield are clean.
- \_\_\_\_\_Left front wheel: Bent, broken, lugs loose or missing.
- \_\_\_\_\_Left front tire: properly inflated, valve stem OK, bulges, tread at least 4/32 inch.
- \_\_\_\_\_Left front suspension: Spring, U-bolts, Shocks.
- \_\_\_\_\_Brake hoses.

**Right Front Side:**

- \_\_\_\_\_Door window and windshield are clean.
- \_\_\_\_\_Right front wheel: Bent, broken, lugs loose or missing.
- \_\_\_\_\_Right front tire: properly inflated, valve stem OK, bulges, tread at least 4/32 inch.
- \_\_\_\_\_Right front suspension: Spring, U-bolts, Shocks.
- \_\_\_\_\_Brake hoses.

**Right Rear Side:**

- \_\_\_\_\_Right rear wheel: Bent, broken, lugs loose or missing.
- \_\_\_\_\_Right rear tire: properly inflated, valve stem OK, bulges, tread at least 2/32 inch.
- \_\_\_\_\_Tires match, not mixed(bias and radial).Size match.
- \_\_\_\_\_Splash guards/mud flaps.
- \_\_\_\_\_Right rear suspension: Spring, U-bolts, Shocks.
- \_\_\_\_\_Brake hoses.

**Left Rear Side:**

- \_\_\_\_\_ Left rear wheel: Bent, broken, lugs loose or missing.
- \_\_\_\_\_ Left rear tire: properly inflated, valve stem OK, bulges, tread wear.
- \_\_\_\_\_ Tires match, not mixed(bias and radial). Size match.
- \_\_\_\_\_ Splash guards/mud flaps.
- \_\_\_\_\_ Left rear suspension: Spring, U-bolts, Shocks.
- \_\_\_\_\_ Brake hoses.

**Body:**

☐ Battery and battery box secure.  
☐ All items securely fastened.  
☐ No dirt or debris.

**Comments:**

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Reporting Driver: \_\_\_\_\_ Signature: \_\_\_\_\_

Repair Date: \_\_\_\_\_

Reviewing Driver: \_\_\_\_\_ Signature: \_\_\_\_\_